

	<b>YES</b> Full compatibility Materials that passed the testing protocols with no negative impact OR materials that have not been tested (yet), but are known to be acceptable in PO recycling	<b>CONDITIONAL</b> Limited compatibility Materials that passed the testing protocols if certain conditions are met OR materials that have not been tested (yet), but pose a low risk of interfering with PO recycling	<b>NO</b> Low compatibility Materials that failed the testing protocols OR materials that have not been tested (yet), but pose a high risk of interfering with PO recycling
Container	PE-LD; PE-HD; PP with density <1 g/cm <sup>3</sup>	PP+PE	PET+PE; PET+PP polyonefic combination with density >1g/cm <sup>3</sup>
Colours	colourless	light or translucent colours/prints covering no more than 30% of the packaging surface	opaque colours/prints, carbon black/prints, colours/prints covering no more than 30% of the packaging surface
Barrier	additives compatible with package body polymer	EVOH	PA; PVDC
Additives	additives which do not increase the density of the polymer by more than 4%		additives which increase the density of the polymer by more than 4%
Closure Systems	same material as body	PE on PP body; PP on PE body	any other
Lids	same material as body	PE on PP body; PP on PE body; removable aluminium fasteners	any other
Labels	similar material to body with light non-covering colours/packaging surfaces	not covering more than 30% of body; made of PE on PP body; labels made from material combinations with density >1 g/cm <sup>3</sup>	any other labels/sleeves covering more than 30% of body surface; in mould labels labels made from material combinations with density less than <1 g/cm <sup>3</sup> with body colours
Adhesives	water soluble (less than 60°C)	hot-melts; pressure-sensitive labels	self-adhesive labels; not water soluble
Inks	non toxic - follow EUPIA Guidelines		inks that bleed; toxic or hazardous inks
Direct Printing	laser marked	production or expiry date	any other direct printing